

**ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

1944 ЖЫЛДАН ШЫГА БАСТАФАН
ИЗДАЕТСЯ С 1944 ГОДА
PUBLISHED SINCE 1944

6

АЛМАТЫ
АЛМАТЫ
ALMATY

2018

ҚАРАША
НОЯБРЬ
NOVEMBER

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабаршысы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редакторы

х. ф. д., проф., КР ҮҒА академигі

М. Ж. Жұрынов

Редакция алқасы:

Абиев Р.Ш. проф. (Ресей)

Абишев М.Е. проф., корр.-мүшесі (Қазақстан)

Аврамов К.В. проф. (Украина)

Аппель Юрген проф. (Германия)

Баймуқанов Д.А. проф., корр.-мүшесі (Қазақстан)

Байпақов К.М. проф., академик (Қазақстан)

Байтулин И.О. проф., академик (Қазақстан)

Банас Йозеф проф. (Польша)

Берсимбаев Р.И. проф., академик (Қазақстан)

Велихов Е.П. проф., РҒА академигі (Ресей)

Гашимзаде Ф. проф., академик (Әзіrbайжан)

Гончарук В.В. проф., академик (Украина)

Давлетов А.Е. проф., корр.-мүшесі (Қазақстан)

Джрабашян Р.Т. проф., академик (Армения)

Қалимолдаев М.Н. проф., академик (Қазақстан), бас ред. орынбасары

Лаверов Н.П. проф., академик РАН (Россия)

Лупашку Ф. проф., корр.-мүшесі (Молдова)

Моҳд Ҳасан Селамат проф. (Малайзия)

Мырхалықов Ж.У. проф., академик (Қазақстан)

Новак Изабелла проф. (Польша)

Огарь Н.П. проф., корр.-мүшесі (Қазақстан)

Полещук О.Х. проф. (Ресей)

Поняев А.И. проф. (Ресей)

Сагиян А.С. проф., академик (Армения)

Сатубалдин С.С. проф., академик (Қазақстан)

Таткеева Г.Г. проф., корр.-мүшесі (Қазақстан)

Үмбетаев И. проф., академик (Қазақстан)

Хрипунов Г.С. проф. (Украина)

Юлдашбаев Ю.А. проф., РҒА корр-мүшесі (Ресей)

Якубова М.М. проф., академик (Тәжікстан)

«Қазақстан Республикасы Үлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы»РКБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 01.06.2006 ж. берілген №5551-Ж мерзімдік басылым тіркеуіне қойылу туралы күелік

Мерзімділігі: жылдана 6 рет.

Тиражы: 2000 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
www: nauka-nanrk.kz, bulletin-science.kz

© Қазақстан Республикасының Үлттық ғылым академиясы, 2018

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

д. х. н., проф. академик НАН РК

М. Ж. Журинов

Р е д а к ц и о н на я кол л е г и я:

Абиев Р.Ш. проф. (Россия)
Абишев М.Е. проф., член-корр. (Казахстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймukanov Д.А. проф., чл.-корр. (Казахстан)
Байпаков К.М. проф., академик (Казахстан)
Байтулин И.О. проф., академик (Казахстан)
Банас Иозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Казахстан)
Велихов Е.П. проф., академик РАН (Россия)
Гашимзаде Ф. проф., академик (Азербайджан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., чл.-корр. (Казахстан)
Джрабашян Р.Т. проф., академик (Армения)
Калимолдаев М.Н. академик (Казахстан), зам. гл. ред.
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., чл.-корр. (Молдова)
Мохд Хасан Селамат проф. (Малайзия)
Мырхалыков Ж.У. проф., академик (Казахстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Полещук О.Х. проф. (Россия)
Поняев А.И. проф. (Россия)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Казахстан)
Таткеева Г.Г. проф., чл.-корр. (Казахстан)
Умбетаев И. проф., академик (Казахстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., член-корр. РАН (Россия)
Якубова М.М. проф., академик (Таджикистан)

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5551-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18.

www: nauka-nanrk.kz, bulletin-science.kz

© Национальная академия наук Республики Казахстан, 2018

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK

M. Zh. Zhurinov

E d i t o r i a l b o a r d:

Abiyev R.Sh. prof. (Russia)
Abishev M.Ye. prof., corr. member. (Kazakhstan)
Avramov K.V. prof. (Ukraine)
Appel Jurgen, prof. (Germany)
Baimukanov D.A. prof., corr. member. (Kazakhstan)
Baipakov K.M. prof., academician (Kazakhstan)
Baitullin I.O. prof., academician (Kazakhstan)
Joseph Banas, prof. (Poland)
Bersimbayev R.I. prof., academician (Kazakhstan)
Velikhov Ye.P. prof., academician of RAS (Russia)
Gashimzade F. prof., academician (Azerbaijan)
Goncharuk V.V. prof., academician (Ukraine)
Davletov A.Ye. prof., corr. member. (Kazakhstan)
Dzhrbashian R.T. prof., academician (Armenia)
Kalimoldayev M.N. prof., academician (Kazakhstan), deputy editor in chief
Laverov N.P. prof., academician of RAS (Russia)
Lupashku F. prof., corr. member. (Moldova)
Mohd Hassan Selamat, prof. (Malaysia)
Myrkhalykov Zh.U. prof., academician (Kazakhstan)
Nowak Isabella, prof. (Poland)
Ogar N.P. prof., corr. member. (Kazakhstan)
Poleshchuk O.Kh. prof. (Russia)
Ponyaev A.I. prof. (Russia)
Sagyan A.S. prof., academician (Armenia)
Satubaldin S.S. prof., academician (Kazakhstan)
Tatkeyeva G.G. prof., corr. member. (Kazakhstan)
Umbetayev I. prof., academician (Kazakhstan)
Khripunov G.S. prof. (Ukraine)
Yuldasbayev Y.A., prof. corresponding member of RAS (Russia)
Yakubova M.M. prof., academician (Tadzhikistan)

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5551-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/>, <http://bulletin-science.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2018

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**BULLETIN OF NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

ISSN 1991-3494

Volume 6, Number 376 (2018), 34 – 38

<https://doi.org/10.32014/2018.2518-1467.24>

UDC 636.22/28.082

A. E. Chindaliyev¹, D. A. Baimukanov¹, A. K. Karynbayev², E. Chindaliyev¹

¹Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Kazakhstan,
²Southwest Scientific Research Institute of Animal Breeding and Plant Growing, Shymkent, Kazakhstan

**RESULTS OF THE TARGETED SELECTIVE
AND BREEDING WORK OF THE SIMMENTAL
RED-AND-MOTLEY BREED OF DAIRY CATTLE**

Abstract. The article presents the characteristics of selective-breeding work with the "Ertis" red-and-motley cattle of the Simmental breed created by scientists of the KazSRIAB&FP LLP, on the basis of improving the Simmental breed of cattle in the direction of raising dairy productivity using the gene pool of imported servicing bulls.

The aim was to summarize the results of targeted selective and breeding work for the period after approbation of animals of the new "Ertis" red-and-motley dairy type of cattle of the Simmental breed by the example of the herd of Kirov LLP, as well as the current state of their productivity.

The average indices of productivity of the main selection traits were taken into account, such as milk yield for 305 days of lactation, fat and protein percentage, live weight, and also their average duration of productive use. Where the percentage of fat and protein was determined by modern devices on the analyzers of the integrated milk quality system (MilkoScan FT+, Fossomatic FT+) and statistical data were processed according to standard methods.

As a result, for the period 2009 - 2016, a significant increase in the productivity of cows was achieved, the average milk yield for 305 days in lactation in the herd was increased by 2089 kg or 54.4% (from 3829 ± 42.3 to 5928 ± 27.8).

According to the last completed lactation, the average milk yield per cow for 305 days by the first lactation was 5040.1 ± 65.16 kg of milk ($n=108$), by the second - 5814.1 ± 49.66 kg ($n=385$), by the third and older lactation 6269.7 ± 37.76 kg ($n=410$).

The average duration of productive use of cows was 2.8 lactations (lim 1-9), of which the third and older lactations were 45.4%.

Thus, the targeted selective and breeding work to improve the productive qualities of the "Ertis" red-and-motley type of cattle of the Simmental breed in the Kirova LLP is quite profitable and acceptable for further breeding and its selection preservation.

Keywords: breed, intra-breed type, cow, milk, lactation, gene pool, productive longevity, selection.

Introduction. Currently, one of the main methods of improving low-productive breeds of dairy cattle is the use of the gene pool of foreign high-yielding livestock breeds. One of the key tasks should be the creation of genotypes of dairy cattle, which combines the high dairy productivity of the world's breeding achievements with the preservation of the adaptive potential of the gene pool of domestic breeds.

With the aim of qualitative transformation of the Simmental breed of cattle in the direction of increasing the dairy productivity and improving the morphofunctional properties of the udder, in the breeding zone of the breed since 1986, under the scientific supervision of the researchers of KazSRIAB&FP LLP, large-scale works on the use of imported servicing bulls of the intensive dairy breeds: Montbeliarde, Holstein red-and-motley, German red-and-motley and Ayrshire.

As a result of many years of work, by the efforts of scientists and practitioners, in 2009 a new intra-breed "Ertis" red-and-motley dairy type of Simmental breed was created and tested. According to the data of the researchers [1-3], during the approbation of the "Ertis" red-and-motley cattle, in contrast to Simmental animals, it exceeds the milk yield, on average for all lactations by 1500 kg, or 73% by the first

lactation, 57 % - by the second, for 46% - by the third and older. In comparison with the original gene pool of the mother breed (56th volume of the SSB of Simmental breed), this superiority is 95%, or more than 100 kg of milk per lactation. As for live weight and fat content in milk, cows conform to the Simmental breed standard; the indicators of development of young animals in all age periods are also at the level of the standard of the breed or exceed it.

A positive shift is also achieved in the selective improvement of the morphofunctional properties of the udder, its suitability for machine milking. More than 2/3 of the cow population of the created dairy type have a bath- and cup-shaped udder, which is 1.7 times larger than in the original Simmental breed. More than 30% increased the intensity of milk yield and at present is 1.42 kg/min.

The main array of the created population is represented by animals of strong and solid constitution, with a sufficient broad and deep chest, a harmonious physique close to the dairy type. The colour is predominantly red and mottled. The adaptability to long-term maintenance in the arid dry-steppe zone is preserved.

The aim of the work was to summarize the results of targeted selective and breeding work for the period after approbation of animals of the new "Ertis" red-and-motley dairy type of cattle of the Simmental breed on the example of the herd from Kirova LLP.

Object and methodology. Scientific research was conducted in Kirova LLP in the Pavlodar region on the breeding herd of the "Ertis" red-and-motley type of cattle of the Simmental breed. The documents of primary zootechnical and pedigree records served for the analysis of productivity.

The milk yield was determined by monthly control milk yield with conversion to 305 days of lactation, the fat and protein content in milk was determined by modern devices on the analyzers of the integrated milk quality system (FOSS electric, Denmark).

The class composition of cows was identified in the course of livestock judgement during the year according to the instructions for the bonitation of dairy and dairy-meat cattle [4].

Analysis of the traits of cows for dairy productivity and the duration of productive longevity were processed by methods of variation statistics using the MS Excel computer program [5].

Results of the research. In consequence of targeted selective and breeding work with the Kirova LLP herd, a significant increase in the productivity of cows was achieved in 8 years after the approbation of the "Ertis" new red-and-motley dairy cattle type of Simmental breed (table 1).

Table 1 – Growth dynamics of average milk yield of cows in the herd

#	Years	Number of cows, heads	Average milk yield per cow, kg	Difference by years	
				kg	%
1	2009	572	3839 ± 42,3		
2	2010	898	3825 ± 33,1	- 14	- 0.4
3	2011	763	4003 ± 37,5	+ 178	+ 4.8
4	2012	532	4046 ± 35,1	+ 43	+ 1.2
5	2013	459	4570 ± 38,8	+ 524	+ 12.9
6	2014	618	4924 ± 51,5	+ 342	+ 7.7
7	2015	797	5234 ± 56,6	+ 310	+ 6.3
8	2016	903	5928 ± 27,8	+ 694	+ 13.3

Thus, the average milk yield for 305 days in lactation in the herd increased by 2089 kg or 54.4% (from 3829±42.3 to 5928±27.8). However, it should be noted that the dynamics of increasing the milk yield of cows from year to year have been uneven. This is due to the natural and climatic conditions of certain years and maintenance conditions since the main milk yield is obtained in the summer pasture period.

The modern herd of Kirova LLP by average milk yield per cow exceeds the average indicator for Pavlodar oblast by 3274 kg or 128.6% of milk (5828 - 2554 kg) (table 2).

According to the last completed lactation, the average milk yield per cow for 305 days was 5040.1±65.16 kg of milk (n=108) by the first lactation. By the second lactation it was 5814.1±49.66 kg

Table 2 – The modern characteristics of cow productivity in the context of lactation

#	Lactation period	n	Milk yield for 305 days of lactation, kg		Fat, %		Protein, %		Live weight, kg	
			X ± m	Cv	X ± m	Cv	X ± m	Cv	X ± m	Cv
1	1 lactation	108	5040.1 ± 65.16	13.4	3.92 ± 0.01	2.3	3.31 ± 0.00	1.1	431.9 ± 1.88	4.5
2	2 lactation	385	5814.1 ± 49.66	16.8	3.93 ± 0.00	2.2	3.32 ± 0.00	1.4	475.2 ± 1.40	5.8
3	3 lactation and older	410	6269.7 ± 37.76	12.2	3.94 ± 0.00	2.5	3.26 ± 0.01	3.4	571.9 ± 1.43	5.1
4	Total:	903	5928.4 ± 90.10	15.8	3.93 ± 0.01	2.4	3.29 ± 0.01	2.6	514.0 ± 5.87	11.9

(n=385), by the third and older ones - 6269.7±37.76 kg (n=410), the fat content of milk, according to lactations respectively: 3.92%; 3.93%, 3.94%, protein content - 3.31%; 3.32%; 3.26%, live weight - 431.9±1.88; 475.2±1.4; 571.9±1.43 kg.

Of the total cow population of the herd, 77 animals were selected for breeding group according to the exteriors and productive qualities, their average yield was 7787.7±25.15 kg, fat in milk - 3.96±0.01%, protein 3.219±0.01 % and live weight - 524.1±5.85 kg.

The main indicator of animal adaptation to local conditions of maintenance and feeding is the duration of the productive longevity of cows. The process of intensification of dairy cattle breeding is accompanied by a significant reduction in the period of economic use of cows. According to many researchers in Canada, the USA, Russia, the productive use of cows does not exceed 2-3 lactations [6-9].

The average duration of productive use of cows in the herd of Kirova LLP was 2.8 lactations (lim 1-9), while the number of animals of the 3rd and older lactation was 45.4% (table 3).

Table 3 – Average duration of productive use of cows

#	Lactation	n	Milk yield for 305 days, kg		Fat, %		Protein, %		Live weight, kg	
			X ± m	Cv	X ± m	Cv	X ± m	Cv	X ± m	Cv
1	1 st	108	5040.1 ± 65.16	13.4	3.92 ± 0.01	2.3	3.31 ± 0.00	1.1	431.9 ± 1.88	4.5
2	2nd	385	5814.1 ± 49.66	16.8	3.93 ± 0.00	2.2	3.32 ± 0.00	1.4	475.2 ± 1.40	5.8
3	3 rd	184	6244.8 ± 61.28	13.3	3.94 ± 0.01	2.6	3.31 ± 0.00	1.8	568.5 ± 2.33	5.6
4	4th	159	6326.6 ± 53.97	10.8	3.94 ± 0.01	2.7	3.23 ± 0.01	4.1	576.9 ± 2.06	4.5
5	5th	19	6366.4 ± 175.62	12.0	3.92 ± 0.02	2.7	3.24 ± 0.03	3.5	572.9 ± 6.23	4.7
6	6th	24	6227.9 ± 161.07	12.7	3.93 ± 0.02	1.9	3.18 ± 0.03	4.1	562.5 ± 5.41	4.7
7	7th	8	5918.5 ± 185.33	8.9	3.96 ± 0.04	2.7	3.16 ± 0.04	3.4	570.0 ± 8.24	4.1
8	8th	15	6170.5 ± 214.97	14.7	3.94 ± 0.02	1.7	3.24 ± 0.03	3.3	578.0 ± 7.63	5.1
9	9th	1	5276.0		3.89		3.20		560.0	

From the analysis of the studied cows of the herd, it was established that full-grown cows (3rd lactation and older) show the greatest productivity - 6269.7±37.76 kg in the range of 5276-6326 kg.

In the age aspect, the fat and protein content in milk is not significantly different. The live weight showed an increase with age of the animals from 431.9 to 570.0 kg.

Thus, from the obtained data it follows that the targeted selective-breeding work to improve the productive qualities of the "Ertis" red-and-motley cattle of the Simmental breed is quite profitable.

Duration of productive use of cows of the herd of the Kirova LLP is acceptable for further breeding and its selection conservation.

REFERENCES

- [1] Kolokoltsev Yu.K., Torekhanov A.A., Tadzhiev K. P. Kazakh red-and-motley type of dairy cattle. 2007. (in Russ.).
- [2] Tadzhiev K.P., Chindaliev E.A. Kazakh red-and-motley "Ertis" type of Simmental breed of cattle. Dairy and meat cattle breeding. 2011. N 1. P. 16-17 (in Russ.).

- [3] Tadzhiev K.P., Chindaliyev E.A. Milk of the Kazakh red-and-motley type of cattle // Zharsky. 2008. N 12. P. 17-20 (in Kaz.).
- [4] Instructions for the bonitation of dairy and dairy-meat cattle breeds. Astana, 2014 (in Russ.).
- [5] Plokhinsky N.A. Guide to biometrics for livestock specialists. M.: Kolos, 1969 (in Russ.).
- [6] Gerasimenko E. A long life for a cow // New agriculture. 2013. N 6. P. 76-77 (in Russ.).
- [7] Seltsov V.I., Molchanova N.V., Sulima N.N. Influence of methods of breeding on productive longevity and lifelong productivity of cows // Zootechny. 2013. N 9. P. 2-4 (in Russ.).
- [8] Surovtsev V., Nikulina Yu. Productive longevity of cows: innovations will help. Livestock breeding in Russia. 2016. N 1. P. 41-42 (in Russ.).
- [9] Trukhachev V.I., Zlydnev N.Z. Selionova M.I. Selection of dairy cattle in the Nordic countries: strategy, methods, results // Dairy and meat cattle breeding. 2016. N 4. P. 2-5 (in Russ.).
- [10] Balakirev H.A., Semenov V.G., Baimukanov D.A., Mudarisov P.M., Khakimov I.N., Kulmakova H.I., Kalmagambetov M. B., Aubakirov Kh.A., Tlepov A.A. Body condition scoring of young beef cattle of different genotypes and its relation with live weight and productivity // Bulletin of national academy of sciences of the Republic of Kazakhstan. Almaty, 2018. Vol. 4, N 374. P. 29-37. <https://doi.org/10.32014/2018.2518-1467>
- [11] Semenov V.G., Baimukanov D.A., Kosyaev N.I., Mudarisov R.M., Morozova N.I., Musayev F.A., Nikitin D.A., Kalmagambetov M.B. Growth, development and meat qualities of bull-calves against the background of applications with biological preparations of the prevention series // Bulletin of national academy of sciences of the Republic of Kazakhstan. Almaty, 2018. Vol. 2, N 372. P. 22 -34. <https://doi.org/10.32014/2018.2518-1467>
- [12] Semenov V.G., Baimukanov D.A., Tyurin V.G., Kosyaev N.I., Mudarisov R.M., Nikitin D.A., Iskhan K. Zh., Kalmagambetov M.B., Tlepov A.A. Nonspecific protection of the organism of cows-mothers and calves in realization of reproductive and productive qualities // Reports of the national academy of sciences of the Republic of Kazakhstan. Almaty, 2018. Vol. 3, N 319. P. 26-38. <https://doi.org/10.32014/2018.2518-1483>

А. Е. Чиндалиев¹, Д. А. Баймуканов¹, А. К. Карынбаев², Е. Чиндалиев¹

¹"Казақ мал шаруашылығы және мал азығы өндірісі ғылыми-зерттеу институты" ЖШС, Алматы, Қазақстан,

²"Оңтүстік-батыс мал шаруашылығы және өсімдік шаруашылығы ғылыми-зерттеу институты" ЖШС, Шымкент, Қазақстан

СИММЕНТАЛ ТҮҚЫМЫ СҮТТІ МАЛЫ ҚЫЗЫЛ-АЛА ТҮРІНІҢ МАҚСАТТЫ СЕЛЕКЦИЯЛЫҚ-АСЫЛДАНДЫРУ ЖҰМЫСЫНЫҢ НӘТИЖЕЛЕРІ

Аннотация. Мақалада симментал ірі қара мал түқымын жақсарту мақсатында сүт өнімділігін көтеру үшін, шетелдік өндіріші-бұқалардың генофондын қолдану арқылы "ҚазМШЖШӨҒЗИ" ЖШС ғалымдарының ғылыми жетекшілігімен құрылған симментал түқымының "Ертіс" қызыл-ала түрінің малдарымен селекциялық-асыл түқымдық жұмыстары жүргізілгендегі жайлы сипаттама берілген.

Алдыға қойылған мақсат болып, симментал түқымының жана "Ертіс" қызыл-ала сүтті мал түрлерін сынақтан өткізгеннен кейінгі кезеңде мақсатты селекциялық-асылтүқымдық жұмысының нәтижелерін қорытындылау, сондай-ақ олардың өнімділігінің қазіргі жай-куйі есептелді, мысал ретінде "Киров" ЖШС мал табыны алынған.

Негізгі селекциялық белгілердің орташа өнімділік көрсеткіштері ескерілді, атап айтқанда, 305 күн ішіндегі сауым, май мен ақуыз пайызы, тірі салмағы, сондай-ақ өнімді пайдаланудың орташа ұзактығы. Мұнда май мен ақуыз пайызы сүт сапасының интеграцияланған жүйесінің (MilkoScan FT+, Fossomatic FT+) анализаторларында қазіргі заманғы аспаптармен анықталған және жалпы қабылданған әдістемелер бойынша деректерді статистикалық өндөу жүргізілді.

Нәтижесінде 2009 жылдан 2016 жылға дейінгі кезеңде сиырлардың өнімділігі айтарлықтай жоғарылад, сиырдың орташа сауымы 305 күнге табын бойынша 2089 кг немесе 54,4% ($3829 \pm 42,3$ -тен $5928 \pm 27,8$ -ге дейін) есті.

Соңғы аяқталған лактация бойынша сиырға орташа сауым 305 күн ішінде бірінші лактация бойынша $5040,1 \pm 65,16$ кг сүтті (N=108), екіншісінен $5814,1 \pm 49,66$ кг (N=385), үшінші және одан жоғары лактация бойынша $6269,7 \pm 37,76$ кг (N=410) құрады.

Сиырларды өнімді пайдаланудың орташа ұзактығы 2,8 лактация (lim 1-9) құрады, оның ішінде 3-і және одан жоғары лактация 45,4%.

Осылайша, "Киров" ЖШС табындағы симментал түқымының "Ертіс" қызыл-ала түрі асыл түқымды малдарының өнімділік сапасын жетілдіру бойынша мақсатты селекциялық-асылтүқымдық жұмысы тиімді және де оны одан әрі өсіру мен оны селекциялық сақтау үшін қолайлы.

Түйін сөздер: түқым, түқым ішіндегі түр, сиыр, сүттілік, лактация, генофонд, өнімді ұзак өмір суру, селекция.

А. Е. Чиндалиев¹, Д. А. Баймukanов¹, А. К. Карынбаев², Е. Чиндалиев¹

¹ТОО «Казахский научно-исследовательский институт животноводства и кормопроизводства»,
Алматы, Казахстан

²ТОО «Юго-Западный научно-исследовательский институт животноводства и растениеводства»,
Шымкент, Казахстан

РЕЗУЛЬТАТЫ ЦЕЛЕНАПРАВЛЕННОЙ СЕЛЕКЦИОННО-ПЛЕМЕННОЙ РАБОТЫ КРАСНО-ПЕСТРОГО ТИПА МОЛОЧНОГО СКОТА СИММЕНТАЛЬСКОЙ ПОРОДЫ

Аннотация. В статье дана характеристика селекционно-племенной работы с красно-пестрым типом скота «Ертіс» симментальской породы созданного под научным руководством ученых ТОО «КазНИИЖ и К», на основе совершенствования симментальской породы крупного рогатого скота в направлении повышения молочной продуктивности с использованием генофонда импортных быков-производителей.

Целью явилось обобщение результатов целенаправленной селекционно-племенной работы за период после аprobации животных нового красно-пестрого молочного типа скота «Ертіс» симментальской породы на примере стада ТОО «Кирова», а также современное состояние их продуктивности.

Были учтены средние показатели продуктивности основных селекционных признаков, такие как, удой за 305 дней лактации, процент жира и белка, живая масса, а также их средняя продолжительность продуктивного использования. Где, процент жира и белка определяли современными приборами на анализаторах интегрированной системы качества молока (MilkoScan FT+, Fossomatic FT+) и проведена статистическая обработка данных по общепринятым методикам.

В результате за период с 2009 по 2016 гг. достигнуто значительное повышение продуктивности коров, средний удой коровы на 305 дней в лактации по стаду повысился на 2089 кг или 54,4% (с $3829 \pm 42,3$ по $5928 \pm 27,8$).

По последней завершенной лактации, средний удой на корову за 305 дней составил по первой лактации $5040,1 \pm 65,16$ кг молока (n=108), по второй $5814,1 \pm 49,66$ кг (n=385), по третьей и старше лактации $6269,7 \pm 37,76$ кг (n=410).

Средняя продолжительность продуктивного использования коров составила 2,8 лактации (lim 1-9), из них 3-й и старше лактации 45,4%.

Таким образом, целенаправленная селекционно-племенная работа по совершенствованию продуктивных качеств красно-пестрого типа скота «Ертіс» симментальской породы стада ТОО «Кирова» вполне выгодны и приемлемы для дальнейшего его разведения и ее селекционного сохранения.

Ключевые слова: порода, внутрипородный тип, корова, молочность, лактация, генофонд, продуктивное долголетие, селекция.

Information about authors:

Chindaliyev Askhat Erbosynovich, Master of Agricultural Sciences, Senior Researcher, Department of Breeding and Selection of Dairy Cattle, Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Republic of Kazakhstan; achindaliyev@rambler.ru; <https://orcid.org/0000-0002-2468-3809>

Baimukanov Dastanbek Asylbekovich, Doctor of Agricultural Sciences, Professor, Corresponding Member of the National Academy of Sciences of the Republic of Kazakhstan, Chief Researcher of the Department of breeding and selection of dairy cattle, Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Kazakhstan; dbaimukanov@mail.ru; <https://orcid.org/0000-0002-4684-7114>

Karynbayev Amanbai Kambarbekovich, Doctor of Agricultural Sciences, academician of the Russian Academy of Natural Sciences, Chief Researcher of the Department of Transhumance Livestock of the Southwest Scientific Research Institute of Animal Breeding and Plant Growing, Shymkent, Republic of Kazakhstan; uznijr.taraz@mail.ru; <https://orcid.org/0000-0003-4717-6487>

Chindaliyev Erbosyn Atamkulovich, candidate of agricultural sciences, leading researcher, Department of Breeding and Selection of Dairy Cattle, Kazakh Scientific Research Institute of Animal Breeding and Fodder Production, Almaty, Republic of Kazakhstan; erbossyn529@gmail.com; <https://orcid.org/0000-0003-2990-3687>

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

<http://www.bulletin-science.kz/index.php/ru/>

Редакторы М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов
Верстка на компьютере Д. Н. Калкабековой

Подписано в печать 29.11.2018.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
16,5 п.л. Тираж 500. Заказ 6.