

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В.Сокольский атындағы «Жанармай,
катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

3 (435)

MAY - JUNE 2019

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Б а с р е д а к т о р ы
х.ғ.д., проф., ҚР ҰҒА академигі **М.Ж. Жұрынов**

Р е д а к ц и я а л қ а с ы:

Ағабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Иткулова Ш.С. проф. (Қазақстан)
Мантасян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бүркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«ҚР ҰҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Главный редактор
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Редакционная коллегия:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Гаджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK **M.Zh. Zhurinov**

E d i t o r i a l b o a r d :

Agabekov V.Ye. prof., academician (Belarus)
Volkov S.V. prof., academician (Ukraine)
Vorotyntsev M.A. prof., academician (Russia)
Gazaliyev A.M. prof., academician (Kazakhstan)
Yergozhin Ye.Ye. prof., academician (Kazakhstan)
Zharmagambetova A.K. prof. (Kazakhstan), deputy editor in chief
Zhorobekova Sh.Zh. prof., academician (Kyrgyzstan)
Itkulova Sh.S. prof. (Kazakhstan)
Mantashyan A.A. prof., academician (Armenia)
Praliyev K.D. prof., academician (Kazakhstan)
Bayeshov A.B. prof., academician (Kazakhstan)
Burkitbayev M.M. prof., academician (Kazakhstan)
Dzhusipbekov U.Zh. prof., corr. member (Kazakhstan)
Muldakhmetov M.Z. prof., academician (Kazakhstan)
Mansurov Z.A. prof. (Kazakhstan)
Nauryzbayev M.K. prof. (Kazakhstan)
Rudik V. prof., academician (Moldova)
Rakhimov K.D. prof., academician (Kazakhstan)
Streltsov Ye. prof. (Belarus)
Tashimov L.T. prof., academician (Kazakhstan)
Toderash I. prof., academician (Moldova)
Khalikov D.Kh. prof., academician (Tadjikistan)
Farzaliyev V. prof., academician (Azerbaijan)

News of the National Academy of Sciences of the Republic of Kazakhstan. Series of chemistry and technology.
ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 10893-Ж, issued 30.04.2010

Periodicity: 6 times a year

Circulation: 300 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,

<http://chemistry-technology.kz/index.php/en/arhiv>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Editorial address: Institute of Organic Catalysis and Electrochemistry named after D. V. Sokolsky
142, Kunayev str., of. 310, Almaty, 050100, tel. 291-62-80, fax 291-57-22,
e-mail: orgcat@nursat.kz

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

<https://doi.org/10.32014/2019.2518-1491.34>

Volume 3, Number 435 (2019), 84 – 88

UDC 546.881:553.982:538.113

G.A.Artur¹, E. Mussin¹, A.S. Kalauova², A.A Nazhetova¹, R.N. Nasirov¹

¹Atyrau State University named after Kh. Dosmukhamedov;

²Atyrau Oil and Gas University, Atyrau, Kazakhstan

rnasirov.48@mail.ru

SOME REGULARITIES OF THE DISTRIBUTION OF THE CONTENT OF FREE RADICALS AND VANADIUM (IV) IN OIL BY GEOLOGICAL SECTIONS OF THE EMBA REGION DEPOSITS

Abstract. In laboratory practice, is proposed a method for determining vanadium (IV) and free radicals (FR) in crude oils by electron paramagnetic resonance (EPR) at liquid nitrogen temperature. An important scientific and practical result of the proposed method for the determination of vanadium in crude oils, in contrast to the method of American authors is low nitrogen consumption, and an additional advantage of the method lies in the low cost of the process, since it eliminates the use of expensive temperature attachments for mass laboratory determinations of vanadium. In scientific work, this method was applied to determine vanadium and FR from the section of the Emba region's oil fields.

It has been established that with increasing depth and age of oil-bearing rocks, the density of oil decreases, as well as the content of tetravalent vanadium and FR in it. In some fields of the Emba oil-bearing region (North Kotyrtas, Kara-Arna), is noted an inverse pattern - an increase in the density of oil, the concentration of vanadium and FR is observed during the transition from an elevated part of the formation to a lower part.

Key words: electron paramagnetic resonance, vanadium (IV), free radical, depth of oil.

In recent years, students of higher education on the subjects: oil chemistry and oil geology have lectures on EPR-spectroscopy [1,2]. In laboratory practice, a method for determining vanadium (IV) and free radicals (FR) in crude oils at liquid nitrogen temperature is proposed. An important scientific and practical result of the proposed method for determining vanadium in crude oils, in contrast to the method of American authors [3], is the reduction of nitrogen consumption, as well as an additional advantage of the method is to reduce the cost of the process, since the use of an expensive temperature set-top box is excluded in the mass laboratory definitions of vanadium [1]. In this paper, we used this method to determine vanadium and FR from the oil fields of the Emba region.

Table 1 – The relationship between density and oil content of vanadium (IV) and FR section of field Kyrkykmylyk

Well number	Age	Depth of occurrence, m	Density, g/sm ³	Oil content	
				V(IV),g/t	FR·10 ⁻¹⁷ , spin/g
16	K _{1a}	398...407	0,9273	26,30	9,36
7	K _{1a}	389...395	0,9275	23,20	9,20
7	K _{1B}	431...436	0,9163	14,93	8,38
7	K _{1B}	436...440	0,9127	11,38	8,38
7	K _{1B}	465...467	0,9269	13,39	8,67
11	J ₂	883...891	0,8878	8,43	3,56
11	J ₂	937...943	0,8867	5,96	2,86
15	J ₂	918...925	0,8897	6,29	2,64
15	J ₂	930...932,5	0,8883	5,13	2,46
1	J ₁	911.917	0,8880	4,94	2,44

Note. K_{1a} –apt, K_{1b}-barrem, K_{1q}-goter, J₂ – middle jur, J₁ – lower jur.

Some regularities of the distribution of the content of FR and vanadium (IV) by the section of oil fields with different physical and chemical characteristics by the stratigraphic section were revealed for the Kyrykmylyk field (table 1 and 2) and South Tagan (table 2). As can be seen from the results of data analysis, with increasing depth and age of oil content of FR and vanadium (IV) naturally decreases.

Paramagnetic characteristics of the oil field Kyrykmylyk were studied by EPR-spectroscopy with the aim of establishing a relationship between density and oil content of vanadium (IV) and FR. The level of paramagnetism of the oil field Kyrykmylyk is due to the different compounds of vanadium V(IV) and FR. Table 1 shows that the relationship between oil density and vanadium (IV) and FR content is quite clear. From the results of the analysis of the data given in table 1, it is also seen that with the increase in the depth and age of oil, the vanadium (IV) and FR content naturally decreases. The highest content of vanadium (28 g/t) and FR falls on the oil horizon K_{1a} (apt). The content of vanadium is much higher in oils in lower Cretaceous sediments than in the oils of the Jurassic sediments (that was previously installed for the oil between the rivers Ural and Volga) [4]. A similar change is typical for FR. In oils of lower Cretaceous deposits the concentration of FR is higher than in oils of Jurassic deposits.

For the oil fields Kyrykmylyk and South Tagan also established the relationship between content FR, vanadium (IV) and physico-chemical characteristics. As can be seen from table 2, the content of sulfur, resins, asphaltenes, as well as the density and viscosity of oils increases with the content of FR and vanadium (IV). There is an inversely proportional relationship between the content of FR and vanadium (IV) in oils and the yield of gasoline fractions.

Within one field with increasing geological age and depth of oil vanadium content decreases (table. 1 and table. 2). In the oil fields of the Emba region, the concentration of FR also decreases with the depth of the oil, similar to that observed in the Maikov deposits of the Hadyzhensk and oil and gas fields lying at shallow depths [5].

Table 2 - Interdependence between vanadium (IV), FR content and physico-chemical characteristics of low vanadium oils of the South-Emba region

Well number	Deep, m	Age	Vanadium Content, g/t	FR · 10 ⁻¹⁷ , spm/g	Density, g/cm ³	Viscosity at 20°C	Content, %			Fraction output up to 300°C, %
							sulfur	resins	Asphaltenes	
Kyrykmylyk										
11	389...396	Cret.	23,2	9,2	0,927	1449	0,35	20,0	2,56	24,1
15	930...931	J ₂	5,1	2,5	0,888	99	0,25	8,46	0,76	28,8
11	883...891	J ₂	8,4	3,6	0,887	105	0,39	9,01	0,29	32,3
16	469...477	Cret.	17,9	5,9	0,914	519	0,38	14,1	1,19	15,2
South Tagan										
1	274...288	J ₂	29,2	42,4	0,972	1785*	0,49	29,5	6,89	8,0
1	597...601	Trias	10,7	12,4	0,905	560	0,23	13,8	0,67	14,8

*Note – Viscosity is calculated at 50°C

In some fields of the Emba oil-bearing region (North Kotyrtas, Kara-Arna) the reverse pattern is observed – the increase in the content of vanadium and free radicals with depth, which is explained by vertical migration or gravitational differentiation of oil [6]. This process seems to be due to the complex geological structure of the salt dome structures, which are often subject to tectonic processing.

Oil components containing paramagnetic centers are the most chemically active part of oils. Their free radical form determines the increased activity in the processes of both oil genesis and migration. Paramagnetic centers of oil, which are caused by the presence of compounds of tetravalent vanadium and free radicals, are part of the resinous-asphaltene components of oil [7]. In the transition from the increased part of the fields to the reduced one, there is an increase in oil density, vanadium and FR concentration. For illustration, in fig. 1 it is shown about the central parts of the EPR spectra of oils from the well sections of the 23 North Kotyrtas Deposit, taken at – 900C, containing one of the components of the hyperfine structure V4+ and the singlet from the FR. As can be seen, the amplitude of the signal of EPR of V4+ and FR with increasing depth of oil occurrence is growing. The increase in paramagnetism of oils

with increasing depth of their occurrence is clearly observed in the section of the Kara-Arna field located in the southern coastal part of the Emba district. The field is tectonically Diptera is a salt dome structure of closed type with deep (up to 1800m) salt core.




Figure 1- Change of EPR signal of oils in the section of the Kotyrtas North field, well 23. Deep: a - 1139-1148 m, b-1160-1165 m, c -1204-1216,5 m; EPR signals: 1–from V⁴⁺, 2–from FR

Table 3 - Characteristics of oils in the North Kotyrtas field

Well number	Age, horizon	Oil extraction interval, m	Oil density, g/sm ³	V ⁴⁺ , g/t	FR · 10 ⁻¹⁷ , spin/g
23	T; III	1139-1145	0,8588	11,50	4,60
	T; III	1160-1165	0,8954	19,97	8,31
	T; IV	1204-1216,5	0,9051	22,51	10,65
22	T; II	1119,5-1128,5	0,8254	2,26	0,69
	T; III	1138,2-1155	0,8315	3,05	1,06
	T; III	1176-1185,7	0,8509	5,05	2,37
38	T; I	1079,5-1085	0,8715	7,80	4,93
	T; II	1133-1139	0,8810	12,10	6,20
5	T; I	1059-1073,5	0,8000	0,37	0,14
	T; II	1100-1104	0,8461	4,59	1,92

Analysis of the results (table.4) shows that there is a fairly clear difference in the distribution of the average vanadium content between the studied productive horizons. It should be noted that the Cenomanian horizon is characterized by the conditioned content of vanadium, and with the increase in the age and depth of oil, the content of vanadium and FR increases, so the industrial importance of the Kara-Arna field as a raw source of vanadium is of practical interest.

Table 4 – Change of paramagnetic properties of Kara-Arna oil field

The number of the studied wells	Oil extraction interval, m	Age	The average content of vanadium, g/t	FR · 10 ⁻¹⁷ , spin/g
3	510-555	Senoman	60,08	8,36
4	967-983	Early alb	93,83	10,95
11	1047-1074	Apt	102,44	11,99

Experimental part

EPR spectra were recorded on the E-12 spectrometer of “Varian”. We have found EPR signals from both vanadium and FR ions in the oils of the studied fields. The most intensive hyperfine structure line (HSL) from the complexes of tetravalent vanadium and the single line from FR were used to determine the concentration [8]. The standard concentrations were the oil from Urichtausk field (from well. 8) with known vanadium content (27.6 g/t) and FR ($7,8 \cdot 10^{17}$ spin/sm³). Oil samples before the analysis were purified from associated water and mechanical impurities by centrifugation (centrifuge T-22) at a speed of 4000 rpm. The oil samples prepared in this way were sealed in order to avoid evaporation of gasoline fractions into glass ampoules 0.2 cm in diameter and 10-15 cm in length.

Gratitude. The authors Express their gratitude to the head of the laboratory of electronic paramagnetic resonance (EPR) of the Institute of Organoelement compounds of RAS S. P. Solodovnikov for his help in shooting oil spectra on the EPR spectrometer.

ӨӨЖ 546.881:553.982:538.113

Г.А. Артур¹, Е. Мусин¹, А.С. Қалауова², А.А. Нажетова¹, Р.Н. Насиров¹

¹Х.Досмухамедов атындағы Атырау мемлекеттік университеті;

²Атырау мұнай және газ университеті

ЕМБІ АЙМАҒЫНДАҒЫ МҰНАЙ КЕНІШТЕРІНІҢ ГЕОЛОГИЯЛЫҚ ҚИМАЛАРЫ БОЙЫНША ЕРКІН РАДИКАЛДАР МЕН ВАНАДИЙДІҢ (IV) ТАРАЛУ ЗАҢДЫЛЫҚТАРЫ

Аннотация. Шикі мұнайдағы ванадий мен еркін радикалдарды (EP) электрондық парамагниттік резонанс (ЭПР) көмегімен сұйық азот температурасында анықтау әдісі ұсынылды. Зертхана жағдайында ванадийді жаппай анықтаудың бұл ұсынылған әдісінің американдық ғалымдардың әдісінен өзгешелігі азот шығынының өте аз болуы және қымбат тұратын температура қондырғысының керексіздігі, прибор резонаторындағы орналасқан ампула көлемінің барлық жағдайда бірдейлігі.

Бұл әдісті Ембі аймағындағы мұнайларға EP мен ванадийді анықтау үшін қолдандық. Зерттеу нәтижесі, мұнай үлгілерін алу тереңдігіне және орналасатын жыныстардың геологиялық жасына байланысты, мұнай тығыздығының кемитіні және ондағы төрт валентті ванадий мен EP концентрациясының азаятындығын көрсетті. Ал Ембі аймағының кейбір мұнай кеніштері (Солтүстік Қотырғас, Қара-арна) үшін жоғарғы қабаттардан төменгі қабаттарға өту кезінде мұнайдың тығыздығының өсетіндігі және ванадий мен EP концентрациясының артатындығы, яғни кері заңдылық тағайындалды.

Түйін сөздер: электрондық парамагниттік резонанс, ванадий (IV), еркін радикал, мұнай орналасу тереңдігі.

УДК 546.881:553.982:538.113

Г.А.Артур¹, Е. Мусин¹, А.С.Қалауова², А.А. Нажетова¹, Р.Н. Насиров¹

¹Атырауский государственный университет им.Х.Досмухамедова;

²Атырауский университет нефти и газа

НЕКОТОРЫЕ ЗАКОНОМЕРНОСТИ РАСПРЕДЕЛЕНИЯ СОДЕРЖАНИЯ СР И ВАНАДИЯ (IV) В НЕФТИ ПО РАЗРЕЗАМ МЕСТОРОЖДЕНИЙ ЭМБИНСКОГО РЕГИОНА

Аннотация. В лабораторной практике предлагается способ определения ванадия (IV) и свободных радикалов (СР) в сырых нефтях методом электронного парамагнитного резонанса (ЭПР) при температуре жидкого азота. Важным научно-практическим результатом предлагаемого способа определения ванадия в сырых нефтях, в отличии метода американских авторов является снижение расхода азота, а дополнительное преимущество способа заключается в удешевлении процесса, так как исключается применение дорогостоящей температурной приставки при массовых лабораторных определениях ванадия. В данной работе этот метод применен для определения ванадия и СР по разрезу месторождений нефти Эмбинского региона.

Было установлено, что с увеличением глубины и возраста нефтемещающих пород происходит уменьшение плотности нефти, содержания в ней четырехвалентного ванадия и СР. На некоторых

месторождениях Эмбинского нефтеносного района (Котыртас Северный, Кара-Арна) отмечается обратная закономерность – при переходе от повышенной части пласта к пониженной отмечаются увеличение плотности нефти, концентрации ванадия и СР.

Ключевые слова: Электронный парамагнитный резонанс, ванадий (IV), свободный радикал, глубина залегания нефти.

REFERENCES

- [1] Ермолкин В.И., Керимов В.Ю. Геология и геохимия нефти и газа. М.: Недра, 2012. 460 с.
- [2] Рябов В.Д. Химия нефти и газа. М.: ИД «Форум», 2009.-336 с.
- [3] Saraceno A. T., Fanale D. T., Coggeshal N. D. An electronic paramagnetic resonance investigation of vanadium in petroleum oils // *Anal. Chem.*, 1961. V. 33. P. 500–505.
- [4] Насиров Р.Н., Искужиев Б.А. Парамагнитные особенности нефтей месторождения междуречья Урал-Волга. - М.: Миннефтегазпром. 1992. 51 с.
- [5] Вдовыкин Г.П., Дубров Ю.Н., Маров И.Н. Свободные радикалы в нефтях Северо-Западного Предкавказья // *Геохимия*. 1967. №7. С. 861-863.
- [6] Насиров Р.Н., Те Л.А., Джакиев К.Т. Существование гравитационной дифференциации нефтей в залежах // Доклады НАН РК. 2003. № 1. С. 84-87.
- [7] Nasirov R.N., Shambilova G.K., Zhuldiyev M. Research on the colloid structure of crude oils of the Caspian region by the paramagnetic probe method // *J. Magnetic Resonance Imaging*. – New York, USA, 2007.- Vol. 25, № 4. P. 574-575.
- [8] Nasirov R.N., Nasirov Aizat R. Investigation of Vanadium in Crude Oils of the Caspian Region by Electronic Paramagnetic Resonance (EPR) Method // Abstract of 48th Rocky mountain conference on analytical chemistry. Breckenridge. Colorado. 2006. P. 65.
- [9] Volodin, V.N., Trebukhov, S.A., Kenzhaliyev, B.K. et al. Melt–Vapor Phase Diagram of the Te–S System. *Russ. J. Phys. Chem.* (2018) 92: 407. <https://doi.org/10.1134/S0036024418030330>
- [10] Massalimova B.K., Jetpisbayeva G.D., Altynbekova D.T., Nauruzkulova S.M., Atakozhaeva A.A., Sadykov V.A. LOW-PERCENTAGE Co/CLAY CATALYSTS IN THE PROCESS OF OXIDATIVE CONVERSION OF C3-C4 SATURATED HYDROCARBONS IN THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN SERIES CHEMISTRY AND TECHNOLOGY ISSN 2224-5286 Volume 2, Number 434 (2019), 5 – 11 UDC 544.478 <https://doi.org/10.32014/2019.2518-1491.11>

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Аленов Д. С.*
Верстка на компьютере *А. М. Кульгинбаевой*

Подписано в печать 05.06.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
5.7 п.л. Тираж 300. Заказ 3.