

ISSN 2518-1491 (Online),
ISSN 2224-5286 (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ

Д.В.Сокольский атындағы «Жанармай,
катализ және электрохимия институты» АҚ

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
АО «Институт топлива, катализа и
электрохимии им. Д.В. Сокольского»

NEWS

OF THE ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
JSC «D.V. Sokolsky institute of fuel, catalysis
and electrochemistry»

SERIES
CHEMISTRY AND TECHNOLOGY

4 (436)

JULY-AUGUST 2019

PUBLISHED SINCE JANUARY 1947

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

NAS RK is pleased to announce that News of NAS RK. Series of chemistry and technologies scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of News of NAS RK. Series of chemistry and technologies in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential content of chemical sciences to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабарлары. Химия және технология сериясы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруда. Web of Science зерттеушілер, авторлар, баспашылар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабарлары. Химия және технология сериясы Emerging Sources Citation Index-ке енуі біздің қоғамдастық үшін ең өзекті және беделді химиялық ғылымдар бойынша контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Известия НАН РК. Серия химии и технологий» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Известия НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному контенту по химическим наукам для нашего сообщества.

Б а с р е д а к т о р ы
х.ғ.д., проф., ҚР ҰҒА академигі **М.Ж. Жұрынов**

Р е д а к ц и я а л қ а с ы:

Ағабеков В.Е. проф., академик (Белорус)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Ресей)
Газалиев А.М. проф., академик (Қазақстан)
Ергожин Е.Е. проф., академик (Қазақстан)
Жармағамбетова А.К. проф. (Қазақстан), бас ред. орынбасары
Жоробекова Ш.Ж. проф., академик (Қырғыстан)
Иткулова Ш.С. проф. (Қазақстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Қазақстан)
Баешов А.Б. проф., академик (Қазақстан)
Бүркітбаев М.М. проф., академик (Қазақстан)
Джусипбеков У.Ж. проф. корр.-мүшесі (Қазақстан)
Молдахметов М.З. проф., академик (Қазақстан)
Мансуров З.А. проф. (Қазақстан)
Наурызбаев М.К. проф. (Қазақстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Қазақстан)
Стрельцов Е. проф. (Белорус)
Тәшімов Л.Т. проф., академик (Қазақстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Тәжікстан)
Фарзалиев В. проф., академик (Әзірбайжан)

«ҚР ҰҒА Хабарлары. Химия және технология сериясы».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» Республикалық қоғамдық бірлестігі (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде 30.04.2010 ж. берілген №1089-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arihiv>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р
д.х.н., проф., академик НАН РК **М. Ж. Журинов**

Р е д а к ц и о н н а я к о л л е г и я:

Агабеков В.Е. проф., академик (Беларусь)
Волков С.В. проф., академик (Украина)
Воротынцев М.А. проф., академик (Россия)
Газалиев А.М. проф., академик (Казахстан)
Ергожин Е.Е. проф., академик (Казахстан)
Жармагамбетова А.К. проф. (Казахстан), зам. гл. ред.
Жоробекова Ш.Ж. проф., академик (Кыргызстан)
Иткулова Ш.С. проф. (Казахстан)
Манташян А.А. проф., академик (Армения)
Пралиев К.Д. проф., академик (Казахстан)
Баешов А.Б. проф., академик (Казахстан)
Буркитбаев М.М. проф., академик (Казахстан)
Джусипбеков У.Ж. проф. чл.-корр. (Казахстан)
Мулдахметов М.З. проф., академик (Казахстан)
Мансуров З.А. проф. (Казахстан)
Наурызбаев М.К. проф. (Казахстан)
Рудик В. проф., академик (Молдова)
Рахимов К.Д. проф. академик (Казахстан)
Стрельцов Е. проф. (Беларусь)
Ташимов Л.Т. проф., академик (Казахстан)
Тодераш И. проф., академик (Молдова)
Халиков Д.Х. проф., академик (Гаджикистан)
Фарзалиев В. проф., академик (Азербайджан)

«Известия НАН РК. Серия химии и технологии».

ISSN 2518-1491 (Online),

ISSN 2224-5286 (Print)

Собственник: Республиканское общественное объединение «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №10893-Ж, выданное 30.04.2010 г.

Периодичность: 6 раз в год

Тираж: 300 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18,
<http://chemistry-technology.kz/index.php/en/arhiv>

© Национальная академия наук Республики Казахстан, 2019

Адрес редакции: 050100, г. Алматы, ул. Кунаева, 142,
Институт органического катализа и электрохимии им. Д. В. Сокольского,
каб. 310, тел. 291-62-80, факс 291-57-22, e-mail:orgcat@nursat.kz

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN

SERIES CHEMISTRY AND TECHNOLOGY

ISSN 2224-5286

<https://doi.org/10.32014/2019.2518-1491.42>

Volume 4, Number 436 (2019), 49 – 52

UDC 547.741:553.982:538.113

**I.E. Kulbalina¹, B.K. Kuspanova²,
A.A.Kopasheva¹, L.K. Madieva¹, R.N. Nasirov¹**

¹Atyrau State University named after Kh. Dosmukhamedov;²Atyrau Oil and Gas University, Atyrau, Kazakhstan

E-mail: rnasirov.48@mail.ru

FEATURES OF DISTRIBUTION OF THE PARAMAGNETIC CENTERS ON THE AREA OF THE EMBA REGION OIL DEPOSITS

Abstract. In the oils of the studied deposits, we detected EPR signals both from vanadium ions and free radicals (FR). To determine their concentration, the most intense hyperfine structure (HFS) line was used among the complexes of tetravalent vanadium and a single line from the FR.

There are no noticeable changes in the density of oil and the content of vanadium (IV) in the studied wells from the area of the Jurassic deposits of the Kyrykmylytk field. It means that on the area, vanadium content in oil does not change, there is a good hydrodynamic communication between production wells, and the Kyrykmylytk field belongs to low-vanadium oils.

Uniform distribution of vanadium, is also established on the area of the Aptian, Albian and Cenomanian horizons of the Kara-Arna deposit and it characterizes the conditioned content of vanadium. Between the producing wells of each horizon there is observed a good hydrodynamic connection.

Keywords: complex of tetravalent vanadium, free radical, electronic paramagnetic resonance, hydrodynamic communication, conditioned content.

During the work [1], we found that in the Kalamkas field in the context of productive layers there is a clear distinction between two independent deposits by paramagnetic features and vanadium distribution (in the upper – 200g/t, in the lower -140g/t). This gave rise to the authors argue that the vanadium content is a reliable correlation feature that can be used in monitoring the development of oil reservoirs [2].

The study of the relationship between the content of stable free radicals and vanadium (IV) in oils with their physical and chemical characteristics in the area of deposits was carried out at the fields of the Emba region.

The interdependence between the content of vanadium (IV), FR and physico-chemical characteristics of the oils were studied on the area of the oil horizon for deposits Kyrykmylytk, Kara-Arna, Karsak and Iskene. Table 1 shows the results of the determination of vanadium (IV) in oils with different densities. Table 1 shows that the relationship between oil density and vanadium (IV) content is quite clear.

The analysis of paramagnetic features of the oils of Permo-Triassic deposits of the Iskene field showed that the oils of the southern and northern fields differ sharply in vanadium (IV) content. The industrial content of vanadium was found in the oils of the southern field (table 1). These oils are also characterized by high density and high sulfur content ($S \geq 1$ %) in contrast to lighter and low-sulfur ($S \geq 0,2$ %) oils of the northern field. This indicates various hypergenic changes in the oils of the southern and northern fields.

IV Albian horizon deposits of Karsak – the most significant in size, thickness and oil reserves. IV Albian horizon quality oil is divided into two types: west field - low-sulphur, resinous, paraffinic; east field - low-sulphur, low-resinous, high-paraffinic, oily. As can be seen from table 1, the average vanadium (IV) content in the oils of the IV Albian horizon of the western field is 3 times higher than in the oils of the IV Albian horizon of the eastern field. Such a difference in the area of this productive horizon oil

seems to be explained either by the losses of light oil fractions of the western field, or by their migration towards the eastern field.

Table 1 – Results of the study of correlations between density and vanadium (IV) content

Field	The number of the studied wells	Oil extraction interval, m	Horizon	Change interval	
				Density, g/cm ³	Vanadium content, g/t of oil
Kyrykmylytk	8	911 – 943	Jurassic	0,8867 – 0,8919	2,38 – 3,38
Kara-Arna	11	1047- 1074	Aptian	0,9153	110,1
Iskene:					
south field	2	659-948	Permo-Trias	0,9294-0,9397	167,7-190,8
north field	6	704-773	Permo-Trias	0,7974-0,8144	0,7-1,3
Karsak:					
west field	2	472-782	IV albian	0,9051	9,2
east field	3	481-484	IV albian	0,8612	2,9

For the oil fields Kyrykmylytk, the relationship between FR and vanadium (IV) content, as well as physico–chemical characteristics (table 2) also established. As can be seen from table 2, the content of sulfur, resins, asphaltenes, as well as the density and viscosity of oils increases with the content of FR and vanadium (IV). There is an inversely proportional relationship between the content of FR and vanadium (IV) in oils and the yield of gasoline fractions. From the results of the analysis of the data given in table 1, it is also seen that with the increase in the depth and age of the oil, the vanadium (IV) and FR content naturally decreases. The highest content of vanadium (28 g/t) and FR falls on the Cretaceous oil horizon (table 2). Vanadium content is much higher in the lower Cretaceous deposits than in the Jurassic deposits. A similar change is characteristic of the FR. In Cretaceous sediment oils the concentration of FR is higher than in Jurassic sediments.

Table 2 - The interdependence between the content of vanadium (IV), FR and physico-chemical characteristics of low-vanadium oil from Kyrykmylytk field

Well number	Depth, m	Age	Vanadium content, g/t	FR·10 ⁻¹⁷ , spin/g	Density, g/cm ³	Content, %			Fraction output up to 300 ⁰ C, %
						Sulfur	Resin	Asphaltenes	
11	389...396	Cret	23,2	9,2	0,927	0,35	20,0	2,56	24,1
15	930...931	J ₂	2,6	2,5	0,888	0,25	8,46	0,76	28,8
11	883...891	J ₂	3,3	3,6	0,887	0,39	9,01	0,29	32,3
16	469...477	Cret	17,9	5,9	0,914	0,38	14,1	1,19	15,2

At the studied wells on the area of Jurassic deposits of the field Kyrykmylytk, there are no noticeable changes in density of oil and the content of vanadium (IV) (table.1).

The uniform distribution of vanadium (IV) is also established on the area of the Aptian horizon of the Kara-Arna field with the help of oil samples obtained from 11 producing wells (wells 23, 25, 53, 57, 66, 68, 82, 86, 87, 90, 94) (table 1). For illustration, figure 1 shows the central parts of EPR spectra of oil samples of the Aptian horizon of the Kara-Arna field (wells 82, 57, 90, 53), taken at -196⁰ C, containing one of the components of the hyperfine vanadium (IV) structure and the singlet from FR.

Table 3 – Change of paramagnetic properties of Kara-Arna oil field

The number of the studied wells	Oil extraction interval, m	Age	The average content of vanadium, g/t	FR·10 ⁻¹⁷ , spin/g
3	510-555	Cenomanian	60,08	8,36
4	967-983	Early Albian	93,83	10,95
11	1047-1074	Aptian	102,44	11,99




Figure 1- The Central part of EPR spectra of oils on the area of the Aptian horizon of the Kara-Arna field (wells 82, 57, 90, 53) in -196°C : *a* – central line of HFS from vanadium (IV); *б* – signal from FR.

As can be seen from figure 1, the intensity of both lines of the spectrum of oil samples for the studied wells is the same. This suggests that the area content of vanadium (IV) and FR in oil does not change and between producing wells, there is a good hydrodynamic connection. It should be noted that the Aptian horizon is also characterized by the conditioned content of vanadium (IV), so the industrial significance of the Kara-Arna deposit as a raw material source of vanadium is of practical interest.

Vanadium content in the oils of Emba district ranges from 60 to 126 g/t. Its increased concentration is characterized mainly by oil fields in the area, located on the South Emba uplift. Oils also belong to the category of high viscosity with a high content of resin, asphaltene and low – light fractions [3-5]. The work [6,7] discusses the patterns of distribution of vanadium in low-vanadium oils ($<10\text{g/t}$) from East Moldabek, North Kotyrtas, Kemerkol, South Kozha, South Tagan and Kyrykmylyk fields, located in the South-Emba oil and gas province, united by the interdependence between the vanadium content and the physical-chemical parameters of these oils.

EXPERIMENTAL PART

EPR spectra were recorded on the E-12 spectrometer of “Varian” company. We have found EPR signals from FR and vanadium ions in the oils of the studied fields. For the determination of concentrations used the most intense line hyperfine structure (HFS) of complexes of tetravalent vanadium [5,7]. The standard concentrations were the oil from Urichtau field (from well 8) with known vanadium content (27,6 g/t) and FR (7,8-1017 spin/cm³). Samples of oil before the analysis was subjected to purification from associated water and solids by centrifugation (centrifuge T-22) when the rotation frequency of 4000 rpm. The oil samples prepared in this way were sealed in order to avoid evaporation of gasoline fractions into glass ampoules 0.2 cm in diameter and 10-15 cm in length.

Gratitude. The authors express their gratitude to the head of the laboratory of electron paramagnetic resonance (EPR) of Institute of Organoelement compounds from Russian Academy of Sciences - S. P. Solodovnikov for assistance in recording the spectra of oil on the EPR spectrometer.

CONCLUSIONS

Evaluation of the composition and properties of oils based on the study of their paramagnetic features is proposed as a necessary step for the selection of rational ways of oil development.

ӘӨЖ 547.741:553.982:538.113

И.Е. Кульбалина¹, Б.К. Құспанова², А.А. Қопашева¹, Л.К. Мадиева¹, Р.Н. Насиров¹

¹Х.Досмухамедова атындағы Атырау мемлекеттік университеті;

²Атырау мұнай және газ университеті

ЕМЫ МҰНАЙ КЕНІШТЕРІНДЕ ПАРАМАГНИТТІ ОРТАЛЫҚТАРДЫҢ ҚАБАТТАРЫ БОЙЫНША ТАРАЛУ ЕРЕКШЕЛІКТЕРІ

Аннотация. Біз зерттеген кен орындардағы мұнайларда ванадий ионымен бос радикалдардың ЭПР сигналдары анықталды. Концентрациясын анықтау үшін төрт валентті ванадий кешенінің және бір сызықтан тұратын бос радикалдың аса жіңішке құрылымын (АЖҚ) пайдаландық.

Қырықмылтық кенорнының юра шөгіндісінің ауданы бойынша мұнай тығыздығының және ванадийдің (IV) мөлшерінің зерттелген ұңғымалар бойынша өзгерісі байқалған жоқ. Бұл дегеніміз аудан бойынша ванадий мөлшерінің өзгермейтінін, яғни зерттелген ұңғымалар арасында жақсы гидродинамикалық байланыс бар екендігін сонымен қатар Қырықмылтық кеншінің мұнай құрамы төмен ванадийлі мұнайға жататынын көрсетеді.

Қара Арна мұнай кеншінің барлық зерттелген қабаттары бойынша ванадий (IV) және бос радикалдардың тұрақты болатынын және олардың жоғарғы ванадийлі топқа жататынын көрсетеді.

Түйін сөздер: төрт валентті ванадий кешені, бос радикал, электронды парамагниттік резонанс, гидродинамикалық байланыс, өндірістік мөлшер.

УДК 547.741:553.982:538.113

И.Е. Кульбалина¹, Б.К. Куспанова², А.А. Қопашева¹, Л.К. Мадиева¹, Р.Н. Насиров¹

¹Атырауский государственный университет им.Х.Досмухамедова;

²Атырауский университет нефти и газа

ОСОБЕННОСТИ РАСПРЕДЕЛЕНИЯ ПАРАМАГНИТНЫХ ЦЕНТРОВ ПО ПЛОЩАДИ В НЕФТЯХ МЕСТОРОЖДЕНИЙ ЭМБИНСКОГО РЕГИОНА

Аннотация. В нефтях изученных месторождений нами обнаружены сигналы ЭПР как от ионов ванадия, так и от свободных радикалов (СР). Для определения их концентрации использовалась наиболее интенсивная линия сверхтонкой структуры (СТС) среди комплексов четырех валентного ванадия и одиночная линия от СР.

По площади юрских отложений месторождения Кырыкмылтык заметные изменения плотности нефти и содержания ванадия (IV) по изученным скважинам не проявляются. Это говорит о том, что по площади содержание ванадия в нефтях не изменяется, между добывающими скважинами имеется хорошая гидродинамическая связь, а само месторождение Кырыкмылтык относится к низкованадиевым нефтям.

Равномерное распределение ванадия, так же установлено по площади аптского, альбского и сеноманского горизонтов месторождения Кара-Арна и оно характеризует кондиционное содержание ванадия. Между добывающими скважинами каждого горизонта наблюдается хорошая гидродинамическая связь.

Ключевые слова: комплекс четырехвалентного ванадия, свободный радикал, электронный парамагнитный резонанс, гидродинамическая связь, кондиционное содержание.

Information about the authors:

Кульбалина Индира <https://orcid.org/0000-0001-6433-4083>, aliwer2009@bk.ru;

Насиров Рахметулла <https://orcid.org/0000-0003-4023-7689>, rnasirov.48@mail.ru;

Копашева Айымгул <https://orcid.org/0000-0002-0629-9985>, aimgul84@mail.ru;

Куспанова Багила <https://orcid.org/0000-0002-6209-8352>, kuspanovabagila@mail.ru;

Мадиева Любовь <https://orcid.org/0000-0001-9327-8797>, lmadieva@mail.ru

REFERENCES

[1] Nasirov R.N., Kuspangaliev T.K., Namazov S. Ispol'zovanie paramagnetizma vanadiya pri reshenii zadach razrabotki neftyanyh mestorozhdenij Zapadnogo Kazahstana // Geologiya nefi i gaza.1991.№8.S.19-20.

[2] Babaev F.R., Punanova S.A. Geohimicheskie aspekty mikroelementnogo sostava neftej. M.: ООО «Izdatel'skij dom Nedra», 2014. – 181 s.

[3] Nasirov R. Vysokovanadijeve nefi YUzhnyj Emby // Ekspress-informaciya. Seriya. Neftepromyslovoe delo. 1993. №1. S.3-6.

[4] Nasirov R. N., Bukejhanov N. R., Kilibaev M. B., Vel'k. O. D., Mustafina A. Issledovanie fiziko-himicheskikh svojstv neftej mezhdurech'ya Urala i Emby i ih vzaimosvyaz' s paramagnetizmom // Neftepromyslovoe delo. 1993. № 5. S. 17-19.

[5] Nasirov R. N. Paramagnetizm neftej mestorozhdeniya Kyrykmyltyk // EI (VNNIOENG), ser. Neftepromyslovoe delo. 1993. № 2. S. 5-8.

[6] Nasirov R. N. Vysokovanadijeve nefi YUzhnoj Emby // EI (VNNIOENG), ser. Neftepromyslovoe delo. 1993. № 1. S. 3-6.

[7] Nasirov R., Kudaikulov U., Tyo L., Modeling of nature and properties of oils of Caspian region on a base of appraisal of their paramagnetic characteristics changing // Book of Abstracts of 6th European Federation of EPR Groups Meeting. Madrid, 2006. R.75.

[8] Nasirov R.N., Nasirov Aizat R. Investigation of Vanadium in Crude Oils of the Caspian Region by Electronic Paramagnetic Resonance (EPR) Method // Abstract of 48th Rocky mountain conference on analytical chemistry. Breckenridge. Colorado. 2006. P. 65.

[9] Artur G.A., Mussin E., Kalauova A.S., Nazhetova A.A., Nasirov R.N. SOME REGULARITIES OF THE DISTRIBUTION OF THE CONTENT OF FREE RADICALS AND VANADIUM (IV) IN OIL BY GEOLOGICAL SECTIONS OF THE EMBA REGION DEPOSITS. NEWS OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN SERIES CHEMISTRY AND TECHNOLOGY. ISSN 2224-5286 Volume 3, Number 435 (2019), 84–88 <https://doi.org/10.32014/2019.2518-1491.34>

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации
в журнале смотреть на сайте:

www.nauka-nanrk.kz

<http://chemistry-technology.kz/index.php/en/arhiv>

ISSN 2518-1491 (Online), ISSN 2224-5286 (Print)

Редакторы: *М. С. Ахметова, Т. А. Апендиев, Аленов Д. С.*
Верстка на компьютере *А. М. Кульгинбаевой*

Подписано в печать 05.08.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
5,25 п.л. Тираж 300. Заказ 4.