

ISSN 2518-1726 (Online),
ISSN 1991-346X (Print)

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ҒЫЛЫМ АКАДЕМИЯСЫНЫҢ
әл-Фараби атындағы Қазақ ұлттық университетінің

Х А Б А Р Л А Р Ы

ИЗВЕСТИЯ

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН
Қазақстан Республикасының
Ғылым Академиясының
Әл-Фараби атындағы
Қазақ ұлттық университетінің

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN
Al-Farabi Kazakh
National University

SERIES
PHYSICO-MATHEMATICAL

1(329)

JANUARY – FEBRUARY 2020

PUBLISHED SINCE JANUARY 1963

PUBLISHED 6 TIMES A YEAR

ALMATY, NAS RK

Б а с р е д а к т о р ы
ф.-м.ғ.д., проф., ҚР ҰҒА академигі
Ғ.М. Мұтанов

Р е д а к ц и я а л қ а с ы:

Жұмаділдаев А.С. проф., академик (Қазақстан)
Кальменов Т.Ш. проф., академик (Қазақстан)
Жантаев Ж.Ш. проф., корр.-мүшесі (Қазақстан)
Өмірбаев У.У. проф. корр.-мүшесі (Қазақстан)
Жүсіпов М.А. проф. (Қазақстан)
Жұмабаев Д.С. проф. (Қазақстан)
Асанова А.Т. проф. (Қазақстан)
Бошкаев К.А. PhD докторы (Қазақстан)
Сұраған Д. корр.-мүшесі (Қазақстан)
Quevedo Hernando проф. (Мексика),
Джунушалиев В.Д. проф. (Қырғыстан)
Вишневский И.Н. проф., академик (Украина)
Ковалев А.М. проф., академик (Украина)
Михалевич А.А. проф., академик (Белорусь)
Пашаев А. проф., академик (Әзірбайжан)
Такибаев Н.Ж. проф., академик (Қазақстан), бас ред. орынбасары
Тигиняну И. проф., академик (Молдова)

«ҚР ҰҒА Хабарлары. Физика-математикалық сериясы».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Меншіктенуші: «Қазақстан Республикасының Ұлттық ғылым академиясы» РҚБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрағат комитетінде
01.06.2006 ж. берілген №5543-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылына 6 рет.

Тиражы: 300 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28; 219, 220 бөл.; тел.: 272-13-19; 272-13-18,
<http://physics-mathematics.kz/index.php/en/archive>

© Қазақстан Республикасының Ұлттық ғылым академиясы, 2020

Типографияның мекенжайы: «NurNaz GRACE», Алматы қ., Рысқұлов көш., 103.

Главный редактор
д.ф.-м.н., проф. академик НАН РК
Г.М. Мутанов

Редакционная коллегия:

Джумадильдаев А.С. проф., академик (Казахстан)
Кальменов Т.Ш. проф., академик (Казахстан)
Жантаев Ж.Ш. проф., чл.-корр. (Казахстан)
Умирбаев У.У. проф., чл.-корр. (Казахстан)
Жусупов М.А. проф. (Казахстан)
Джумабаев Д.С. проф. (Казахстан)
Асанова А.Т. проф. (Казахстан)
Бошкаев К.А. доктор PhD (Казахстан)
Сураган Д. чл.-корр. (Казахстан)
Quevedo Hernando проф. (Мексика),
Джунушалиев В.Д. проф. (Кыргызстан)
Вишневский И.Н. проф., академик (Украина)
Ковалев А.М. проф., академик (Украина)
Михалевич А.А. проф., академик (Беларусь)
Пашаев А. проф., академик (Азербайджан)
Такибаев Н.Ж. проф., академик (Казахстан), зам. гл. ред.
Тигиняну И. проф., академик (Молдова)

«Известия НАН РК. Серия физика-математическая».

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов
Министерства культуры и информации Республики Казахстан №5543-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год.

Тираж: 300 экземпляров.

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28; ком. 219, 220; тел.: 272-13-19; 272-13-18,
<http://physics-mathematics.kz/index.php/en/archive>

© Национальная академия наук Республики Казахстан, 2020

Адрес типографии: «NurNaz GRACE», г. Алматы, ул. Рыскулова, 103.

Editor in chief

doctor of physics and mathematics, professor, academician of NAS RK

G.M. Mutanov

Editorial board:

Dzhumadildayev A.S. prof., academician (Kazakhstan)
Kalmenov T.Sh. prof., academician (Kazakhstan)
Zhantayev Zh.Sh. prof., corr. member. (Kazakhstan)
Umirbayev U.U. prof. corr. member. (Kazakhstan)
Zhusupov M.A. prof. (Kazakhstan)
Dzhumabayev D.S. prof. (Kazakhstan)
Asanova A.T. prof. (Kazakhstan)
Boshkayev K.A. PhD (Kazakhstan)
Suragan D. corr. member. (Kazakhstan)
Quevedo Hernando prof. (Mexico),
Dzhunushaliyev V.D. prof. (Kyrgyzstan)
Vishnevskiy I.N. prof., academician (Ukraine)
Kovalev A.M. prof., academician (Ukraine)
Mikhalevich A.A. prof., academician (Belarus)
Pashayev A. prof., academician (Azerbaijan)
Takibayev N.Zh. prof., academician (Kazakhstan), deputy editor in chief.
Tiginyanu I. prof., academician (Moldova)

News of the National Academy of Sciences of the Republic of Kazakhstan. Physical-mathematical series.

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of information and archives of the Ministry of culture and information of the Republic of Kazakhstan N 5543-Ж, issued 01.06.2006

Periodicity: 6 times a year.

Circulation: 300 copies.

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19; 272-13-18,

<http://physics-mathematics.kz/index.php/en/archive>

© National Academy of Sciences of the Republic of Kazakhstan, 2020

Address of printing house: «NurNaz GRACE», 103, Ryskulov str, Almaty.

NEWS

OF THE NATIONAL ACADEMY OF SCIENCES OF THE REPUBLIC OF KAZAKHSTAN
PHYSICO-MATHEMATICAL SERIES

ISSN 1991-346X

<https://doi.org/10.32014/2020.2518-1726.4>

Volume 1, Number 329 (2020), 32 – 37

UDC 517.927

N. S. Imanbaev

Sout Kazakhstan State Pedagogical University, Shymkent, Kazakhstan;
Institute of Mathematics and Mathematical Modelling MES RK, Almaty, Kazakhstan
imanbaevnur@mail.ru

**ON BASIS PROPERTY OF SYSTEMS ROOT VECTORS
OF A LOADED MULTIPLE DIFFERENTIATION OPERATOR**

Abstract. In the case of non-self-adjoint ordinary differential operators, the basis property of systems of eigenfunctions and associated functions (E&AF), in addition to the boundary value conditions, can be affected by values of coefficients of the differential operator. Moreover, it is known that the basic properties of E&AF can be changed at a small change of values of the coefficients. This fact was first noted in V.A. Il'in. Ideas of V.A. Il'in for the case of non-self-adjoint perturbations of the self-adjoint periodic problem were developed in A.S. Makin where operator was changed due to perturbation of one of the boundary value conditions.

In Sadybekov M.A., Imanbaev N.S., we studied another version of the non-self-adjoint perturbation of the self-adjoint periodic problem. In contrast to A.S. Makin, in Sadybekov M.A. and Imanbaev N.S. perturbation occurs due to the change in the equation, which belongs to the class of so-called loaded differential equations, where the basic properties of root functions are investigated.

In this paper we consider perturbations of a second order differential equation of the spectral problem with a loaded term, containing a value of the unknown function at the point zero, with regular, but not strongly regular boundary value conditions. Question about basis property of eigenfunctions and associated functions (E&AF) systems of a loaded multiple differentiation operator is studied.

Keywords: Eigenvalues, eigenfunctions, associated functions, adjoint operator, multiple differentiation, loaded operator, Riesz basis, root vectors.

Mathematics subject classification: 34B09, 34L15, 34L05

1. Introduction

In the case of non-self-adjoint ordinary differential operators, the basis property of systems of eigenfunctions and associated functions (E&AF), in addition to the boundary value conditions, can be affected by values of coefficients of the differential operator. Moreover, it is known that the basic properties of E&AF can be changed at a small change of values of the coefficients. This fact was first noted in [1]. Ideas of [1] for the case of non-self-adjoint perturbations of the self-adjoint periodic problem were developed in [2], [3], where operator was changed due to perturbation of one of the boundary value conditions.

In [4], we studied another version of the non-self-adjoint perturbation of the self-adjoint periodic problem. In contrast to [2], [3], in [4] perturbation occurs due to the change in the equation, which belongs to the class of so-called loaded differential equations, where the basic properties of root functions are investigated. Problems about the basis properties of root functions of loaded differential operators are thoroughly studied in [5], [6]. In these papers, it was possible to extend the spectral decomposition method of V.A. Il'in [1] to the case of loaded differential operators. By the other method questions about the basis property of functional-differential equations were investigated in [7].

The Riesz basis property of the E&AF system of periodic and anti-periodic Sturm-Liouville problems was studied in [8].

In [9], consisting of the Sturm-Liouville equation, together with eigenparameter that depended on boundary conditions and two supplementary transmission conditions; we constructed the resolvent operator and prove theorems on expansions in terms of eigenfunctions in modified Hilbert Space $L_2(a, b)$.

The basis properties in $L_p(-1, 1)$ of root functions of the nonlocal problems for the equations with involution have been studied in [10]. Moreover, using these asymptotic formulas, we proved that the root functions of these operators form a Riesz basis in the space $L_2(0, 1)$ [11].

In the case when the potential is zero, the system of eigenfunctions of the periodic problem is usual trigonometric system, which forms a complete orthonormal system in $L_2(0, 1)$. And if the potential is non-zero, then additional research is required, which answer is the results of [4].

2. Problem Statement and Main Result

In this paper we consider perturbations of equation of the following spectral problem with a loaded term containing value of the unknown function at the point zero:

$$L_1(u) \equiv -u''(x) + \overline{q(x)}u(0) = \lambda u(x), \quad q(x) \in L_2(0, 1), \quad 0 < x < 1, \tag{1}$$

$$U_1(u) = u(0) - u(1) = 0, \quad U_2(u) = u'(1) = 0 \tag{2}$$

First we construct characteristic determinant of the spectral problem

(1)-(2). Assuming that $u(0)$ is some independent constant, it is easy to prove that, when $\lambda \neq 0$, general solution of (1) can be represented as follows:

$$u(x) = C_1 \cdot \cos \sqrt{\lambda} x + C_2 \cdot \frac{\sin \sqrt{\lambda} x}{\sqrt{\lambda}} + u(0) \int_0^x \overline{q(\xi)} \frac{\sin \sqrt{\lambda}(x - \xi)}{\sqrt{\lambda}} d\xi \tag{3}$$

Hence, supposing first $x = 0$, and then satisfying (3) by the boundary value condition (2), we get the system of three equations, which can be represented in the following vector-matrix form:

$$\begin{bmatrix} -1 & 0 & 1 \\ -\cos \sqrt{\lambda} & -\frac{\sin \sqrt{\lambda}}{\sqrt{\lambda}} & 1 - \int_0^1 \overline{q(\xi)} \frac{\sin \sqrt{\lambda}(1 - \xi)}{\sqrt{\lambda}} d\xi \\ \sqrt{\lambda} \sin \sqrt{\lambda} & -\cos \sqrt{\lambda} & - \int_0^1 \overline{q(\xi)} \cos \sqrt{\lambda}(1 - \xi) d\xi \end{bmatrix} \cdot \begin{bmatrix} C_1 \\ C_2 \\ u(0) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \end{bmatrix}$$

By using simple calculations, we obtain

$$\Delta_1(\lambda) = -1 \cdot \left(\frac{1}{\sqrt{\lambda}} \int_0^1 \overline{q(\xi)} \cos \sqrt{\lambda}(1 - \xi) \sin \sqrt{\lambda} d\xi + \cos \sqrt{\lambda} - \frac{1}{\sqrt{\lambda}} \int_0^1 \overline{q(\xi)} \sin \sqrt{\lambda}(1 - \xi) \cos \sqrt{\lambda} d\xi \right) + 0 + (\cos^2 \sqrt{\lambda} + \sin^2 \sqrt{\lambda}) \tag{4}$$

After the standard transformation of (4), we find that the characteristic determinant $\Delta(\lambda)$ of the spectral problem (1) - (2) is represented as

$$\Delta_1(\lambda) = 1 - \cos \sqrt{\lambda} - \frac{1}{\sqrt{\lambda}} \int_0^1 \overline{q(\xi)} \sin \sqrt{\lambda} \xi d\xi \tag{5}$$

Now we define the operator L_1^* . Using the Lagrange formula for all functions $u \in D(L_1)$ and $v \in D(L_1^*)$, due to boundary value conditions (2), we find:

$$\int_0^1 L_1(u) \overline{v(x)} dx - \int_0^1 u(x) \overline{L_1^*(v)} dx = \overline{v(0)} \cdot u'(0) + u(0) \cdot \left(\overline{v'(1)} - \overline{v'(0)} + \int_0^1 \overline{q(x)} \overline{v(x)} dx \right) - \int_0^1 \overline{v''(x)} u(x) dx$$

Consequently, the operator L_1^* is a conjugate operator to the operator L_1 , which is given by the differential expression:

$$L_1^*(v) \equiv -v''(x) = \overline{\lambda} v(x), \quad 0 < x < 1 \tag{1a}$$

and the boundary-value conditions

$$V_1(v) = v'(0) - v'(1) = \int_0^1 q(x)v(x)dx, \quad q(x) \in L_2(0,1), \quad V_2(v) = v(0) = 0. \quad (2b)$$

If $q(x) \equiv 0$, then this problem is called Samarskii - Ionkin problem [13]. In this case, boundary value conditions (2) and (2b) are regular, but not strongly regular boundary value conditions [13]. Characteristic determinant of the Samarskii-Ionkin problem will be $\Delta_0(\lambda) = \sqrt{\lambda}(1 - \cos\sqrt{\lambda})$. The number $\lambda_0^0 = 0$ is a simple root, that is single eigenvalue, and $v_0(x) = \sqrt{3}x$ is a corresponding eigenfunction of the Samarskii-Ionkin problem. Other eigen values of the Samarskii-Ionkin problem are double: $\lambda_k^0 = (2k\pi)^2$, $k = 1, 2, 3, \dots$

Moreover, $v_{k0}^0 = \sqrt{2}\sin(2k\pi x)$ are the corresponding eigen functions, and $v_{k1}^0 = \frac{\sqrt{2}}{2}x\cos(2k\pi x)$ are associated functions.

Due to the biorthogonality conditions $(v_{k1}^0, u_{k1}^0) = 1$ we have that $u_{k1}^0 = 4\sqrt{2}\cos(2k\pi x)$ is an eigen function and $u_{k0}^0 = 2\sqrt{2}(1-x)\sin(2k\pi x)$ is an associated function of the conjugate problem to the Samarskii-Ionkin problem. The system $\{u_{k0}^0, u_{k1}^0\}$ forms Riesz basis in $L_2(0,1)$ [13].

Function $q(x)$ can be presented in the form of biorthogonal expansion in a Fourier series by the system $\{u_{k0}^0, u_{k1}^0\}$:

$$q(x) = \sum_{k=1}^{\infty} a_{k0} u_{k0}^0 + \sum_{k=0}^{\infty} a_{k1} u_{k1}^0 = \sum_{k=1}^{\infty} a_{k0} \cdot 2\sqrt{2}(1-x)\sin(2k\pi x) + \sum_{k=0}^{\infty} a_{k1} \cdot 4\sqrt{2}\cos(2k\pi x). \quad (6)$$

Using (6), we find more convenient representation of the determinant $\Delta_1(\lambda)$. To do it first we calculate the integral in (5). Simple calculations show that

$$\int_0^1 \overline{q(\xi)} \sin \sqrt{\lambda} \xi d\xi = 2\sqrt{2\lambda}(1 - \cos \sqrt{\lambda}) \left(\sum_{k=0}^{\infty} \left[\frac{2k\pi \overline{a_{k0}}}{(\lambda - (2k\pi)^2)^2} + \frac{2\overline{a_{k1}}}{\lambda - (2k\pi)^2} \right] \right).$$

By using this result, determinant (5) after conversion is converted to

$$\Delta_1(\lambda) = \Delta_0(\lambda) \cdot A(\lambda), \quad (7)$$

Where
$$A(\lambda) = 1 - 4\sqrt{2} \sum_{k=1}^{\infty} \left(\overline{a_{k0}} \frac{k}{(\lambda - (2k\pi)^2)^2} + \overline{a_{k1}} \frac{k}{\lambda - (2k\pi)^2} \right).$$

Therefore, it is proved

Theorem 2.1. Characteristic determinant of the spectral problem (1) - (2) when $q(x) \neq 0$ can be represented in the form (7), where $\Delta_0(\lambda)$ is the characteristic determinant of the Samarskii - Ionkin problem, a_{k0}, a_{k1} are Fourier coefficients of the biorthogonal expansion (6) of the function $q(x)$ by the E&AF system of the conjugate Samarskii-Ionkin spectral problem.

The function $A(\lambda)$ in (7) has poles of the second and first orders at points $\lambda = \lambda_k^0$, but the function $\Delta_0(\lambda)$ has zeros of the second order at these points. Thus, the function $\Delta_1(\lambda)$, represented by the formula (7), is an entire analytic function of the variable λ .

If some index j coefficient of (6) $a_{j0} = 0, a_{j1} = 0$, then $\lambda_j^1 = \lambda_j^0$ is a double eigenvalue of the spectral problem (1) - (2).

If $a_{j0} = 0, a_{j1} \neq 0$, then $\lambda_j^1 = \lambda_j^0$ is a simple eigenvalue of the spectral problem (1) – (2).

The characteristic determinant (7) looks more simply, when $q(x)$ is represented as (6) with a finite first sum. That is, when there exists a number N such that $\overline{a_{k0}} = 0, \overline{a_{k1}} = 0$ for all $k > N$. In this case, the (7) -th formula takes the following form

$$\Delta_1(\lambda) = \Delta_0(\lambda) \left[1 - 4\sqrt{2} \sum_{k=1}^N \left(\overline{\pi a_{k0}} \frac{k}{[\lambda - (2k\pi)^2]^2} + \overline{a_{k1}} \frac{k}{\lambda - (2k\pi)^2} \right) \right] \tag{8}$$

From this particular case of the formula (8) we justify the following

Corollary 2.1. For any pre-assigned numbers: complex $\tilde{\lambda}$ and natural \tilde{m} , there always exists a function $q(x)$ such that $\tilde{\lambda}$ is an eigenvalue of the problem (1) - (2) of the multiplicity \tilde{m} .

From the analysis of (8), we note, that $\Delta_1(\lambda_k^0) = 0$ for all $k > N$. That is all eigen values $\lambda_k^0, k > N$, of the Samarskii-Ionkin problem are eigenvalues of the spectral problem (1) - (2). Moreover, multiplicity of the eigen values $\lambda_k^0, k > N$, is also preserved.

From the orthogonality condition $q(x) \perp v_{j0}^0, q(x) \perp v_{j1}^0$ for all $j > N$ it follows, that in this case

$$\int_0^1 \overline{q(x)} v_{j0}^0(x) dx = \int_0^1 \overline{q(x)} v_{j1}^0(x) dx = 0.$$

Therefore, eigenfunctions $v_{j0}^0(x)$ and associated functions $v_{j1}^0(x)$ of the Samarskii-Ionkin problem for all $j > N$ satisfy the spectral problem (1)–(2) and, consequently, they are eigenfunctions and associated functions of the spectral problem (1) – (2). Thus, in this case E&AF system of the spectral problem (1) – (2) and E&AF of the Samarskii-Ionkin problem (forming Riesz basis) differ from each other only in a finite number of first members. Consequently, the E&AF system of the spectral problem (1) - (2) also forms the Riesz basis in $L_2(0,1)$.

By B we denote a set of functions $q(x) \in L_2(0,1)$, representable in the form of a finite series (6), which is everywhere dense in $L_2(0,1)$. Thus, we formulate the main result of our paper:

Theorem 2.2. Let $q(x) \in L_2(0,1)$. Then E&AF system of the spectral problem (1) – (2) forms Riesz basis in $L_2(0,1)$ and the set B is everywhere dense in $L_2(0,1)$.

Since the adjoint operators simultaneously possess the Riesz basis property of root functions, consequently, we get

Corollary 2.2. The set B of functions $q(x) \in L_2(0,1)$, for which the E&AF system of the conjugate problem (1a) - (2b), that is, of the multiple differentiation operator L_1^* with integral perturbation of the first boundary value condition of the Samarskii-Ionkin problem, forms a Riesz basis in $L_2(0,1)$, is everywhere dense $L_2(0,1)$.

Previously, other approaches to the study of similar problems (1a) - (2b) with integral perturbation of the second boundary value condition were published in our papers [14], [15], [16].

The work paper [17], we prove uniqueness theorem, by one spectrum, for a Sturm-Liouville operator with non-separated boundary value conditions and a real continuous and symmetric potential.

Acknowledgments. These results are partially supported by Grant № AP05132587.

Н.С. Иманбаев

Оңтүстік Қазақстан мемлекеттік педагогикалық университеті, Шымкент, Қазақстан;
ҚР БЖҒМ Математика және математикалық модельдеу институты, Алматы, Қазақстан

ЕСЕЛІ ДИФФЕРЕНЦИАЛДАНАТЫН ЖҮКТЕЛГЕН ОПЕРАТОРДЫҢ ТҮБІРЛІК ВЕКТОРЛАР ЖҮЙЕСІНІҢ БАЗИСТІЛІГІ ЖАЙЛЫ

Аннотация. Бұл мақалада регулярлы, бірақ күшейтілген регулярлы емес шеттік шарттармен берілген жүктелген екінші ретті дифференциалдық оператордың спектралдық есебі қарастырылады. Еселі дифференциалданатын жүктелген оператордың түбірлік векторлар жүйесінің базистілігі зерттеледі. Кез келген өзіне-өзі түйіндес шеттік шарттармен және өзіне-өзі түйіндес формальді дифференциалдық амалмен берілген, спектрі дискретті болатын оператордың меншікті функциялары жүйесінің ортонормаланған базис құрайтындығы белгілі жай. Сонымен бірге өзіне-өзі түйіндес емес жай дифференциалдық операторлардың түбірлік функциялары жүйесінің базистілігіне шеттік шарттардан бөлек, дифференциалдық оператордың коэффициенттерінің мәндері де әсер ететіндігі белгілі. Мұндай жағдайда, коэффициенттердің мәндері шамалы ғана өзгергеннің өзінде, түбірлік функциялардың базистілік қасиеттеріне бірден әсер етеді. Тұңғыш рет мұндай факт В.А. Ильиннің жұмысында келтірілді. Өзіне-өзі түйіндес периодты есеп үшін В.А. Ильиннің идеясы өзіне-өзі түйіндес емес толқыту жағдайында А.С. Макиннің еңбегінде дамытылды. Бұл жұмыста, шеттік шарттардың біреуін толқытқан кезде оператор өзгерген болатын. Ал, М.А. Садыбеков пен Н.С. Иманбаевтың мақаласында периодты шарттармен берілген жүктелген екінші ретті дифференциалдық оператордың меншікті функциялары жүйесінің базистілік қасиеттері зерттелген. Бұл мақалада қарастырылған есепте өзіне-өзі түйіндес периодты есеп үшін өзіне-өзі түйіндес емес толқыту жағдайы болып табылады, бірақ А.С. Макиннің еңбегінде зерттелген есептен М.А. Садыбеков пен Н.С. Иманбаевтың мақаласында қарастырылған есептің ерекшелігі шеттік шарттардың емес, теңдеудің толқытылуында болып тұр.

Жүктелген дифференциалдық операторлардың түбірлік функцияларының базистілік қасиеттерін зерттеу мәселелері И.С. Ломовтың жұмыстарында зерттелді. В.А. Ильиннің спектралдық жіктеу әдісі И.С. Ломовтың мақалаларында жүктелген дифференциалдық операторлар үшін сәтті қолданылып дамытылды. А.М. Гомилко мен Г.В. Радзиевскийдің жұмыстарында функционалдық-дифференциалдық теңдеулердің түбірлік векторларының базистілік мәселелері басқа әдістермен зерттелген.

Ал, аталмыш мақалада екінші ретті, нөл нүктесінде жүктелінген дифференциалдық теңдеу үшін периодты емес шеттік шарттармен берілген есептің характеристикалық анықтаушы жазылып, оның спектралдық параметр бойынша бүтін аналитикалық функция болатындығы көрсетіліп, меншікті мәндері анықталған. Осыған сәйкес, түбірлік функцияларының базистілік қасиеттерінің орнықтылығы жайлы теорема дәлелденеді. Бұл есепке түйіндес есеп - толқытылған Самарский-Ионкин есебі болатындығы көрсетілген.

Түйін сөздер: меншікті мәндер, меншікті функциялар, тіркелген функциялар, түйіндес оператор, еселі дифференциалдау, жүктелген оператор, Рисс базистілігі, түбірлік векторлар.

Н.С. Иманбаев

Южно-Казахстанский государственный педагогический университет, Шымкент, Казахстан;
Институт математики и математического моделирования МОН РК, Алматы, Казахстан

О БАЗИСНОСТИ СИСТЕМ КОРНЕВЫХ ВЕКТОРОВ НАГРУЖЕННОГО ОПЕРАТОРА КРАТНОГО ДИФФЕРЕНЦИРОВАНИЯ

Аннотация. В настоящей статье рассматривается возмущения дифференциального уравнения второго порядка спектральной задачи с нагруженным слагаемым, содержащий значение искомой функции в точке нуля, с регулярными, но неусиленно регулярными краевыми условиями. Исследуется вопрос базисности систем собственных и присоединенных функций (СИПФ) нагруженного оператора кратного дифференцирования. Хорошо известно, что система собственных функций оператора, заданного формально самосопряженным дифференциальным выражением, с произвольными самосопряженными краевыми условиями, обеспечивающими дискретный спектр, образует ортонормированный базис. Наряду с этим, известно, что в случае несамосопряженных обыкновенных дифференциальных операторов на базисность систем корневых функций, помимо краевых условий, могут влиять также значения коэффициентов дифференциального оператора. При этом базисные свойства корневых функций могут изменяться даже при сколь угодно малом изменении значений коэффициентов. Впервые этот факт был отмечен в работе В.А. Ильина. Идеи В.А. Ильина были развиты А.С. Макиным на случай несамосопряженного возмущения самосопряженной периодической

задачи. Оператор в работе А.С. Макина изменялся за счет возмущения одного из краевых условий. В статье М.А. Садыбекова, Н.С. Иманбаева исследованы базисные свойства корневых функций нагруженного дифференциального оператора второго порядка с периодическими краевыми условиями, который также является несамосопряженным возмущением самосопряженной периодической задачи. В отличие от работы А.С. Макина, в статье М.А. Садыбекова и Н.С. Иманбаева возмущение происходит за счет изменения уравнения. Вопросы базисности корневых функций нагруженных дифференциальных операторов были изучены в работах И.С. Ломова. Ему удалось распространить метод спектральных разложений В.А. Ильина на случай нагруженных дифференциальных операторов. Другим методом вопросы базисности функционально-дифференциальных уравнений были исследованы в работе А.М. Гомилко и Г.В. Радзиевского.

А в настоящей работе исследуются вопросы базисности корневых векторов дифференциального оператора второго порядка с нагруженным слагаемым в точке ноль с непериодическими краевыми условиями. Построен характеристический определитель, который является целой аналитической функцией. Доказана теорема об устойчивости свойства базисности корневых векторов и построен сопряженный оператор, который оказался возмущенной задачей Самарского-Ионкина.

Ключевые слова: собственные значения, собственные функции, присоединенные функции, сопряженный оператор, кратное дифференцирование, нагруженный оператор, базис Рисса, корневые вектора.

Information about authors:

Imanbaev Nurlan Sairamovich – candidate of Physical and Mathematical sciences, Full Professor in Mathematics; Department of Mathematics Sout Kazakhstan State Pedagogical University, Shymkent, Leading Researcher the Institute of Mathematics and Mathematical Modelling MES RK, Almaty, Kazakhstan; <https://orcid.org/0000-0002-5220-9899>. E-mail: imanbaevnur@mail.ru

REFERENCES

- [1] Il'in V.A. On relationship between types of boundary value conditions and basis properties and equiconvergence with a trigonometric series of expansions in root functions of a non-self-adjoint differential operator. *Differential Eq.*, 1994, **30**, №9, 1516-1529.
- [2] Makin A.S. On nonlocal perturbation of a periodic eigenvalue problem. *Differential Eq.*, 2006, **42**, №4, 560-562.
- [3] Sadybekov M.A., Imanbaev N.S. On basis property of root functions of a periodic problems with an integral perturbation of the boundary condition. *Differential Eq.*, 2012, **48**, №6, 896-900.
- [4] Imanbaev N.S., Sadybekov M.A. Basic properties of root functions of loaded second order differential operators. *Reports of National Academy of Sciences of the Republic of Kazakhstan*, 2010, №2, 11-13 (in Russian).
- [5] Lomov I.S. Basis property of root vectors of loaded second order differential operators on an interval. *Differential Eq.*, 1991, **27**, №1, 80-94.
- [6] Lomov I.S. Theorem on unconditional basis property of root vectors of loaded second order differential operators. *Differential Eq.*, 1991, **27**, №9, 1550-1563.
- [7] Gomiiko A.M., Radzievsky G.V. Basic properties of eigenfunctions of a regular boundary value problem for a vector functional. *Differential Eq.*, 1991, **27**, №3, 385-395.
- [8] Veliyev O.A., Shkalikov A.A. On basis property of eigenfunctions and associated functions of the periodic and antiperiodic Sturm-Liouville problem, *Mathematical Notes*, 2009, **85**, №5, 671-686 (in Russian).
- [9] Mukhtarov O.S., Aydemir K. Eigenfunction expansion for Sturm-Liouville problems with transmission conditions at one Interior point. *Acta Math. Scientia*, 2015, **B35**, 639-649.
- [10] Kritskov L.V., Sarsenbi A.M. Spectral properties of nonlocal problems for second – order differential equations with an involution. *Differential Eq.*, 2015, **51**, №8, 984-990.
- [11] Kirac A.A. On Rieszbasisness of systems composed of root functions of periodic boundary value problems. *Abstract and Applied Analysis*, 2015, Article ID945049.
- [12] Il'in V.A., Kritskov L.V. Properties of spectral expansions corresponding to non-self-adjoint differential operators. *J. of Math. Sciences*, 2003, **116**, 3489-3550.
- [13] Naimark M.A. *Linear Differential Operators*. Moscow, Nauka, 1969 (in Russian).
- [14] Imanbaev N.S., Kanguzhin B.E. On zeros of entire functions that have an integral representation. *News of the National Academy of Sciences of the Republic Kazakhstan. Physico-Mathematical Series*. 1995, №3, 47-51. (in Russian).
- [15] Imanbaev N.S. On stability of Basis Property of root vectors system of the Sturm-Liouville Operator with an integral perturbation of Conditions in Nonstrongly regular Samarskii-Ionkin type problems. *International J. of Differential Eq.*, 2015, Article ID 641481.
- [16] Sadybekov M.A., Imanbaev N.S. Characteristic Determinant of a boundary value problem, which Does Not have the basis Property. *EurasianMath. J.*, 2017, **8**, 40-46.
- [17] Shaldanbayeva A.Sh., Shaldanbayeva A.A., Beisebayeva A.Zh., Shaldanbay B.A. Inverse problem of Sturm-Liouville operator with non-separated boundary value conditions and symmetric potential. *News of the National Academy of Sciences of the Republic Kazakhstan. Physico-Mathematical Series*. Vol. 6, Number 328(2019), 52-62. <https://doi.org/10.32014/2019.2518-1726.73>

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (http://publicationethics.org/files/u2/New_Code.pdf). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

(Правила оформления статьи для публикации в журнале смотреть на сайтах:

[www:nauka-nanrk.kz](http://www.nauka-nanrk.kz)

<http://physics-mathematics.kz/index.php/en/archive>

ISSN 2518-1726 (Online), ISSN 1991-346X (Print)

Редакторы: *М. С. Ахметова, Г. Б. Халидуллаева, Д. С. Аленов*
Верстка на компьютере *А.М. Кульгинбаевой*

Подписано в печать 04.02.2020.

Формат 60x881/8. Бумага офсетная. Печать – ризограф.
4,6 п.л. Тираж 300. Заказ 1.

Национальная академия наук РК
050010, Алматы, ул. Шевченко, 28, т. 272-13-18, 272-13-19